# **COOKWARE (PTFE)**




## **DURIT Granistone HL**

This item has an innovative and a unique design. Due to their very good performance they are best suited for demanding, daily use.

- Unique granite look with slightly rough surface
- Very good scratch and abrasion resistance
- Outstanding non-stick effect
- Very good cleanability
- Developed for top level cookware
- Also available as a version without Maximizing green

#### **Properties**

Number of layers	3
Coating thickness	40 - 45 μm / 1.57 - 1.77 mils
Curing temperature to approx	420 °C / 788 °F
Service temperature	250 °C / 482 °F
Scratch resistance	$\star$
Abrasion	$\star$
Non-stick effect (LGA)	****
Non-stick effect (LGA and milk)	****
Corrosion resistance (EU 10/2011)	****



DURIT Granistone HL is an outstanding threelayer non-stick coating without ceramic reinforcement in the mid layer. DURIT Granistone HL is based on the DURIT High Level technology with a special polymer matrix. This technology guarantees a good non-stick effect and excellent abrasion resistance also in intensive use. DURIT Granistone HL set itself apart due to its high quality hard and rough surface.

- 1. Surface sealing applied wet-in-wet
- 2. Granite effect coating with polymer matrix technology, applied wet-in-wet
- 3. Mid coat with innovative polymer matrix enables optimum abrasion resistance
- Specially prepared substrate for an optimum adhesion of the coathing to the cookware product

### Substrate

Substrate	Pre-treatment	Suitability
pressed / forged alu	sandblasting with corundum	<b>~ ~ ~</b>
alu cast	sandblasting with corundum	<b>~ ~ ~</b>

# **COOKWARE (PTFE)**



## **Cleaning and care instructions**

After use, clean the pan with hot water, a mild washing-up liquid and a sponge cloth or the fine side of a dishwashing sponge. A soft dishwashing brush can also be used for cleaning. Always wipe the pan dry before storing it.

Stubborn food residues should never be cleaned with a metal sponge or the sharp side of a dishwashing sponge. Instead, soak the product in warm soapy water and then carefully clean the surface. Poorly cleaned items significantly reduce the non-stick effect and destroy the coating.

The product can be cleaned in the dishwasher, although this is not recommended due to the aggressive cleaning agents. Cleaning by hand is preferable.

### Instructions for use

Before using the product for the first time, remove the packaging, labels and all stickers and clean the pan with hot water and washing-up liquid.

Never heat cookware unattended or empty on the hob. A drop of oil as a temperature indicator is helpful to recognize overheating. As such, the use of a bit cooking oil or fat enhances the flavor of the food.

The use of plastic or wooden utensils is recommended to avoid damaging the surface seal.

### Longevity

Higher temperatures during heating can lead to discoloration and therefore destroy the non-stick coating.

All coatings are sensitive to scratches and cuts. Small scratches are visible, but do not impair the properties. Nevertheless, we do not recommend the use of metal cutlery and other sharp objects in cookware. Instead, the use of plastic or wooden utensils is recommended.

A small amount of grease or a drop of oil will also significantly extend the life of the product.

### **Temperature stability**

As a general rule, never heat an empty pan. Especially not on induction hobs. Critical temperatures can be reached quickly.

PTFE pans can be heated up to 230 °C (446 °F) in continuous use and up to 250 °C (482 °F) for short periods. This is the reason why PTFE pans are only suitable for searing to a limited extent.

Overheating can lead to discoloration and the reduction of the non-stick effect. Overheating can also cause bubble formation or separating of the coating.

DURIT Granistone HL