

KITCHEN ELECTRICS




ILAFLO Select R

- System with excellent non-stick effect
- Best cleanability
- Suitability for microwave inner housings or also
- Raclette pans made from aluminised steel, etc.

Properties

Number of layers	1
Coating thickness	12 - 18 µm / 0.47 - 0.71 mils
Curing temperature to approx	380 °C / 716 °F
Service temperature	250 °C / 482 °F



ILAFLO Select R is a single-layer system based on PTFE resin which can be used primarily for microwave inner housings, mini ovens and bread baking machine dough hooks.

1. Surface sealing with good cleanability and good non-stick effect
2. Specially prepared substrate for optimum adhesion

Substrate

Substrate	Pre-treatment	Suitability
drawn aluminum	alkaline degrease	✓ ✓ ✓
alu cast	alkaline degrease	✓ ✓ ✓
aluminized steel	alkaline degrease	✓ ✓ ✓
carbon steel	n.a.	Not suitable
stainless steel	degrease & sandblasting with corundum	✓ ✓ ✓

Application

Application	Suitability
Bread maker container	Not suitable
Bred maker dough hook	✓ ✓ ✓
Panini maker	✓ ✓ ✓
Party grill / electrical grill	✓ ✓ ✓
Baking and roasting oven tray	✓ ✓ ✓
Pizza pan	✓ ✓ ✓
Pancake (Crêpes) plate	Not suitable
Waffle maker	Not suitable
Belgium waffle maker	Not suitable
Pancake maker	Not suitable
Sandwich maker	Not suitable
Donut maker	Not suitable
Deep fat fryer	✓ ✓ ✓
Air fryer	✓ ✓ ✓

KITCHEN ELECTRICS



Ralette pan (phosphated carbon steel)	Not suitable
Raclette pan (aluminized steel)	✓ ✓ ✓
Grill plate	✓ ✓ ✓
Microwave	✓ ✓ ✓
Baking and roasting oven	✓ ✓ ✓
Rice cooker	✓ ✓ ✓
Electrical wok	✓ ✓ ✓
Slow cooker / Skillet	✓ ✓ ✓
Milk frother	Not suitable
Cheese fondue pot	Not suitable
Meat fondue pot	Not suitable
Chocolate fondue pot	Not suitable
Iron soles	✓ ✓ ✓

KITCHEN ELECTRICS



Cleaning and care instructions

Before cleaning the appliance, disconnect the mains plug from the socket and allow it to cool down thoroughly. The appliance must not be immersed in water. To clean, use hot water and the fine side of a dishwashing sponge with a little washing-up liquid. A soft dishwashing brush can also be used for cleaning. Always wipe the appliance dry before storing it.

Stubborn food residues should never be cleaned with a metal sponge or the rough side of a dishwashing sponge. Instead, clean the product carefully and gently with warm soapy water and a soft sponge over a longer period of time.

Poorly cleaned items significantly reduce the non-stick effect and destroy the coating.

Non-stick coated, removable parts can be cleaned in the dishwasher, although this is not recommended due to the aggressive cleaning agents. Cleaning by hand is preferable.

Instructions for use

Remove packaging, labels and all stickers before first use. Clean products that can be removed from the electrical carrier part under hot water and with washing-up liquid.

The power cables must be checked for defects before each use. The appliance must never be used if it is defective. Removable, non-stick coated parts are intended exclusively for the electrical appliance and must never be used on the hob or in the oven.

The use of rubber, nylon or wooden utensils is recommended to avoid damaging the surface seal.

Longevity

All coatings are sensitive to scratches and cuts. Small scratches are visible, but do not impair the properties. Nevertheless, we do not recommend the use of metal cutlery and other sharp objects. Instead, the use of rubber, nylon or wooden utensils is recommended.

Temperature stability

Coatings for small electrical kitchen appliances are heat-stable from 230 °C (446 °F) to max. 250 °C (482 °F). However, it is expressly recommended that the manufacturer's maximum temperature is observed.

Overheating can lead to discolouration and a reduction in the non-stick effect.